

NOTICE OF INTENT

VERSION 2023

**State of Georgia
Department of Natural Resources
Environmental Protection Division**

GAR18B771-V1

Permittee NOI Number

3/11/2025

Application Submittal Date

For Coverage Under the 2023 Re-Issuance of the NPDES General Permits To Discharge Stormwater Associated With Construction Activity

THESE PERMITS EXPIRE JULY 31, 2028

Facility Information

Facility Name: Maysville GA1

Mailing Address 1: 2030 Golf Course Drive

Mailing Address 2: _____

County: _____ City: Reston State: VA Zip Code: 20191

Facility/Property Address 1: 209 Industrial Drive

Address 2: _____

County: Jackson City: Maysville State: GA Zip Code: 30558

Latitude: 34.241659 Longitude: -83.549411

PRIMARY PERMITTEE

NOTICE OF INTENT:

- Initial Notification Re-Issuance Notification Change of Information
 Change of Owner/Operator: Formerly Known As: _____

I. SITE/OWNER/OPERATOR INFORMATION

Facility Ownership Type: Corporation

Owner's Name: Northern Data US, Inc.

Phone: 3039158203

Email Address: elliott.jordan@northerndata.de

Address: 12020 Sunrise Valley Dr. Suite 100

City: Reston State: VA Zip Code: 20191

Duly Authorized Representative(s): _____

Phone: _____

Email Address: _____

Operator's Name: _____

Phone: _____

Email Address: _____

Address: _____

City: _____ State: GA Zip Code: _____

Facility/Construction Site Contact: Eric Busby

Phone: 2815465720

Email Address: eric.busby@northerndata.de

II. CONSTRUCTION SITE ACTIVITY INFORMATION AND FEE CALCULATIONS

Start Date: 03/15/2025 Completion Date: 12/31/2027

Regulated by a certified Local Issuing Authority (LIA): Yes No

Name of Local Issuing Authority: City of Maysville

Is this an Agricultural Building? (ex. chicken house): Yes No

Is this a public water system reservoir?: Yes No

Is this project regulated by the Public Service Commission (PSC)? (ex. Electricity, natural gas, telecom, pipeline): Yes No

Is this project under the direct supervision of the Natural Resource Conservation Service (NRCS)?: Yes No

Is this a construction and/or maintenance project undertaken and/or financed in whole or in part by the Department of Transportation, The Georgia Highway Authority, or the State Road and Tollway Authority?: Yes No

Is this a road construction and/or road maintenance project (including sidewalks, bike routes, multi-use paths or trails)?: Yes No

Acres Disturbed (to the nearest tenth (1/10th) acre) 31.7 X \$40/acre = 1268

Regulated by a certified Local Issuing Authority

TOTAL FEE SUBMITTED = 1268

Does the Erosion, Sedimentation and Pollution Control Plan (Plan) provide for disturbing more than 50 acres at any one time for each individual permittee (i.e., primary, secondary or tertiary permittees), or more than 50 contiguous acres total at any one time?

YES - _____ Date of EPD Written Authorization

NO

N/A - if construction activities are covered under the General NPDES Permit No. GAR100002 for Infrastructure construction projects

Construction Activity Type:

- Commercial Industrial Municipal/Institutional Mixed Use
 Water Quality/Aquatic Habitat Restoration Linear Utility Residential
 Agricultural Buildings Other: _____

III. RECEIVING WATER INFORMATION

A. Name of Initial Receiving Water(s): Gravelly Creek

Trout Stream Water Supporting Warm Water Fisheries

B. Name of MS4 Receiving Waters: _____

N/A Trout Stream Water Supporting Warm Water Fisheries

Name of MS4 Owner/Operator: _____

C. Sampling of Receiving Stream(s):

Trout Stream (Δ 10 NTU) Water Supporting Warm Water Fisheries (Δ 25 NTU)

D. Sampling of Outfall(s):

- N/A
 Trout Stream
 Water Supporting Warm Water Fisheries

A summary chart (if applicable) delineating the following information for each outfall must be attached:

Number of Sampling Outfalls: _____

Construction Site Size (acres): _____

Appendix B NTU Value: _____

Surface Water Drainage Area (square miles): _____

E. Does the facility/construction site discharge storm water into an Impaired Stream Segment, or within one (1) linear mile upstream of and within the same watershed as, any portion of an Impaired Stream Segment identified as "not supporting" its designated use(s), as shown on Georgia's most current "305(b)/303(d) List Documents (Final)" listed for the criteria violated, "Bio F" (Impaired Fish Community) and/or "Bio M" (Impaired Macroinvertebrate Community), within Category 4a, 4b or 5, and the potential cause is either "NP" (nonpoint source) or "UR" (urban runoff) ?

No Yes, Name of Impaired Stream Segment(s): _____

F. Does the facility/construction site discharge storm water into an Impaired Stream Segment where a Total Maximum Daily Load (TMDL) Implementation Plan for "sediment" was finalized at least six (6) months prior to the submittal of the Initial NOI ?

No Yes, Name of Impaired Stream Segment(s): _____

IV. CERTIFICATIONS:

I certify that to the best of my knowledge and belief, that the Erosion, Sedimentation and Pollution Control Plan (Plan) was prepared by a design professional, as defined by this permit, that has completed the appropriate certification course approved by the Georgia Soil and Water Conservation Commission in accordance with the provisions of O.C.G.A. 12-7-19 and that I will adhere to the Plan and comply with all applicable requirements of this permit.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that certified personnel properly gather and evaluate the information submitted. Based upon my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Responsible Official: Elliot Jordan

Email: elliott.jordan@northerndata.de

Facility Information

Facility Name: Maysville GA1
Mailing Address 1: 2030 Golf Course Drive Mailing Address 2: _____
County: _____ City: Reston State: VA Zip Code: 20191
Facility/Property Address 1: 209 Industrial Drive Address 2: _____
County: Jackson City: Maysville State: GA Zip Code: 30558
Latitude: 34.241659 Longitude: -83.549411

PRIMARY PERMITTEE

NOTICE OF INTENT:

- Initial Notification Re-Issuance Notification Change of Information
- Change of Owner/Operator: Formerly Known As: _____

I. SITE/OWNER/OPERATOR INFORMATION

Facility Ownership Type: Corporation
Owner's Name: Northern Data US, Inc. Phone: 3039158203
Email Address: elliott.jordan@northerndata.de Address: 12020 Sunrise Valley Dr. Suite 100
City: Reston State: VA Zip Code: 20191
Duly Authorized Representative(s): _____ Phone: _____
Email Address: _____
Operator's Name: _____ Phone: _____
Email Address: _____ Address: _____
City: _____ State: GA Zip Code: _____
Facility/Construction Site Contact: Eric Busby Phone: 2815465720
Email Address: eric.busby@northerndata.de

II. CONSTRUCTION SITE ACTIVITY INFORMATION AND FEE CALCULATONS

Start Date: 03/15/2025 Completion Date: 12/31/2027
Regulated by a certified Local Issuing Authority (LIA): Yes No
Name of Local Issuing Authority: City of Maysville
Is this an Agricultural Building? (ex.chicken house): Yes No
Is this a public water system reservoir?: Yes No
Is this project regulated by the Public Service Commission (PSC)? (ex. Electricity, natural gas, telecom, pipeline): Yes No
Is this project under the direct supervision of the Natural Resource Conservation Service (NRCS)?: Yes No
Is this a construction and/or maintenance project undertaken and/or financed in whole or in part by the Department of Transportation, The Georgia Highway Authority, or the State Road and Tollway Authority?: Yes No
Is this a road construction and/or road maintenance project (including sidewalks, bike routes, multi-use paths or trails)?: Yes No
 Acres Disturbed (to the nearest tenth (1/10th) acre) 31.7 X \$40/acre = 1268

Regulated by a certified Local Issuing Authority

TOTAL FEE SUBMITTED = 1268

Does the Erosion, Sedimentation and Pollution Control Plan (Plan) provide for disturbing more than 50 acres at any one time for each individual permittee (i.e., primary, secondary or tertiary permittees), or more than 50 contiguous acres total at any one time ?

- YES - _____ Date of EPD Written Authorization

NO

N/A - if construction activities are covered under the General NPDES Permit No. GAR100002 for Infrastructure construction projects

Construction Activity Type:

- Commercial Industrial Municipal/Institutional Mixed Use
- Water Quality/Aquatic Habitat Restoration Linear Utility Residential
- Agricultural Buildings Other: _____

III. RECEIVING WATER INFORMATION

A. Name of Initial Receiving Water(s): Gravelly Creek

- Trout Stream Water Supporting Warm Water Fisheries

B. Name of MS4 Receiving Waters: _____

- N/A Trout Stream Water Supporting Warm Water Fisheries

Name of MS4 Owner/Operator: _____

C. Sampling of Receiving Stream(s):

- Trout Stream (Δ 10 NTU) Water Supporting Warm Water Fisheries (Δ 25 NTU)

D. Sampling of Outfall(s):

- N/A
- Trout Stream
- Water Supporting Warm Water Fisheries

A summary chart (if applicable) delineating the following information for each outfall must be attached:

Number of Sampling Outfalls: _____ Construction Site Size (acres): _____

Appendix B NTU Value: _____ Surface Water Drainage Area (square miles): _____

E. Does the facility/construction site discharge storm water into an Impaired Stream Segment, or within one (1) linear mile upstream of and within the same watershed as, any portion of an Impaired Stream Segment identified as "not supporting" its designated use(s), as shown on Georgia's most current "305(b)/303(d) List Documents (Final)" listed for the criteria violated, "Bio F" (Impaired Fish Community) and/or "Bio M" (Impaired Macroinvertebrate Community), within Category 4a, 4b or 5, and the potential cause is either "NP" (nonpoint source) or "UR" (urban runoff) ?

- No Yes, Name of Impaired Stream Segment(s): _____

F. Does the facility/construction site discharge storm water into an Impaired Stream Segment where a Total Maximum Daily Load (TMDL) Implementation Plan for "sediment" was finalized at least six (6) months prior to the submittal of the Initial NOI ?

- No Yes, Name of Impaired Stream Segment(s): _____

IV. CERTIFICATIONS:

I certify that to the best of my knowledge and belief, that the Erosion, Sedimentation and Pollution Control Plan (Plan) was prepared by a design professional, as defined by this permit, that has completed the appropriate certification course approved by the Georgia Soil and Water Conservation Commission in accordance with the provisions of O.C.G.A. 12-7-19 and that I will adhere to the Plan and comply with all applicable requirements of this permit.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that certified personnel properly gather and evaluate the information submitted. Based upon my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.